

# **Medical Imaging in Clinical Trials:** The Human Imaging Research Office and You!

Nick Gruszauskas, Ph.D. Technical Director, HIRO

An overview of the HIRO's services

Last Revision: 22-Sep-2023 OCR Seminar Series

#### **Road Map**



- What is medical imaging?
- What (and why) is the HIRO?
- What services does the HIRO provide, and how do they support research?
- Wrapping Up



#### **Road Map**



- What is medical imaging?
- What (and why) is the HIRO?
- What services does the HIRO provide, and how do they support research?
- Wrapping Up



# What is Medical Imaging?




- Medical imaging is the use of equipment and techniques to create images of the human body for clinical purposes and/or scientific research.
- There are a variety of medical imaging techniques that are often used to create images of internal structures and organs.
- Imaging techniques may be spatial (highlighting structure and anatomy) or functional (highlighting physiology) in nature. In some cases, they can be both.



# What is Medical Imaging?



- Different types of imaging methods are known as modalities.
- The basic imaging modalities are:
  - Radiography (x-ray) and fluoroscopy
  - Computed Tomography (CT)
  - Magnetic Resonance Imaging (MRI)
  - Ultrasound (US, echo, vascular)



- Nuclear Medicine (SPECT, PET, bone scans, theranostics)
- The HIRO assists with all of these modalities (and more!).



# What is Medical Imaging?



Human Imaging Research Office

- Clinical trials often use imaging to:
  - ✓ Determine patient eligibility
  - ✓ Measure response to treatment
  - $\checkmark$  Determine if an endpoint has been met
- To support these goals:
  - Imaging may need to be performed at routine intervals defined by the trial protocol.
  - Imaging may need to be performed using guidelines and parameters specific to the trial.
  - > Copies of exams may need to be provided to the trial sponsor.





## **Road Map**



- What is medical imaging?
- What (and why) is the HIRO?
- What services does the HIRO provide, and how do they support research?
- Wrapping Up



# Why is the HIRO a thing?



Human Imaging Research Office



- It is increasingly common for clinical trials to include **imaging manuals**.
- These manuals may include specific scan parameters and paperwork that must be utilized when performing imaging exams on a trial patient.
- Investigator-initiated projects may also include specific parameters, which can be cumbersome to execute in a clinical setting.



# Why is the HIRO a thing?



- Images and related data are increasingly forwarded to external core labs for central review. Some projects may also collect images as part of chart reviews or Al development.
- Improperly de-identified image data carries increasingly significant institutional risks, as evidenced by the 2007 breach of mammography research data an UNC.
- The database contained image & demographic data and was breached due to inadequate information security.
- UNC paid \$250,000 to notify roughly 180,000 patients and set up a call center to field questions about the breach.
- The PI, a tenured professor, was initially fired, but after appeal was merely demoted. Concerns were raised regarding the obligation of individual investigators vs. their institutions regarding data security and de-identification.
- <u>https://campustechnology.com/articles/2009/10/09/u-north-carolina-undertakes-review-in-face-of-7-state-data-breach.aspx</u>
- https://www.insidehighered.com/news/2011/01/27/unc\_case\_highlights\_debate\_about\_data\_security\_and\_accountability\_for\_hacks
- http://www.rsna.org/uploadedFiles/RSNA/Content/News/PDF/2011\_RSNA\_New\_PDF/003%20RSNA\_News\_March2011.pdf



# What is the HIRO?



• The mission of the Human Imaging Research Office:

"...to facilitate University of Chicago investigators conducting clinical trials and research studies that require medical imaging, and to ensure that the necessary imaging is performed and distributed in compliance with the research protocol, IRB requirements, and HIPAA regulations."





# What is the HIRO?



- The HIRO is a BSD **Core Facility** under the direction of the Office of Shared Research Facilities (OSRF).
- Oversight of the HIRO is governed by its Faculty Oversight Committee.
- Day-to-day direction of the HIRO is provided by its Technical Director and Faculty Director. The HIRO also has two full-time staff and a few part-time professional staff.
- The HIRO occupies a single office in Mitchell/FMI.





#### **Road Map**



- What is medical imaging?
- What (and why) is the HIRO?
- What services does the HIRO provide, and how do they support research?
- Wrapping Up



# **HIRO Primary Services**



- The HIRO provides local investigators and research staff with several services to support the imaging needs of their clinical trials.
  - Site Initiation / Qualification
  - Imaging Exam Coordination and Monitoring
  - Imaging Exam De-identification and Distribution



# **Service: Site Initiation**

- The HIRO assists with the imaging-related initiation activities for clinical trials noted below:
  - Site surveys the completion of imaging surveys and questionnaires.
  - Site training participation in imaging tele-training and online training sessions.
  - Test scans performance and submission of test imaging when required.
  - SIVs participation as imaging personnel in site visits when required.

VIRTUA	LSCOPICS	_	CT/MRI Si	te Que		naire
						(VS
Protocol:	A					
	assessments will be	performedurin	og contract enk	anced CT	cane of	the chert abdom
	pelvis or a non-cont					
	the abdomen and p					
	(Cycle 2), every 8 w					
	An MRI of the brain metastasis at Basel			s with a nis	tory or s	symptoms or brain
Please Note:	VirtualScopics stron	ngly encourages	that the same			
	study. The use of th					
	variability. Please c	ontact VirtualSo mpleting and				r concerns with th
Please ensure w	hen completing this fo					ed by an authorize
representative.	Jse N/A for anything n	ot applicable; pl				
VirtualScopics vi	a one of the following					
		Email to vsSite Fax to +1.585		nt@virtual	scopics.c	om
	۷.		nformation			
Principal Investi	zator:					
Clinical Site Nan						
Site Number:						
Site Humber		CT	Scanner			
Manufacturer:		GE GE	Siemens	PI	nilips	Other:
Model:						
Software Version:						
Is this a Multi-slice Scanner?		T Yes	No.	If Yes:	Numb	er of Slices:
Does your Site use a Power Injector?		Ves.	No.	If Yes:	Manut	facturer:
Name of Contrast Agent(s) Used: IV:						
		Oral:				
CT Imaging Contact: Name:		ame:				
		Title:				
	PI	hone:				
	F	mail:				
	bhA	ress:				
Ship To Address						
	aciate)	City				
Ship To Address (For CT Study Ma		City:				
	Cou	intry:				
		intry: rince:				

An example of an imaging questionnaire.

 HIRO staff will also assess feasibility and create a trial-specific workflow if needed to ensure compliance with a trial's imaging guidelines.





# **Service: Site Initiation**



- The HIRO also reviews protocols and imaging guidelines.
  - ✓ The HIRO reviews most trials that are routed through the CTRC (now PRMC).
  - ✓ Investigators can optionally request HIRO review or input on their protocol via the AURA IRB system.
  - ✓ The HIRO provides input during a study's budget process if requested (for example, by providing guidance to the CTFG).



# **Service: Exam Coordination**



- Not all scans are equal: the imaging parameters required by a trial may not match UCM's routine clinical parameters!
- The HIRO can determine if trial-specific parameters are needed:
  - Exam ordering identification of the correct orderables in EPIC and order comments.
  - Exam monitoring and assistance availability to provide help to coordinators and imaging technologists at the time of an imaging exam.

219171 Image Acquinition Guideline Verviou: 1.8	I	I			
	211068 Image Acquisiti Version: 2.0	on Guideline	perceptive		
MEDICAL IMAGING SERVICES			QUISITION GUIDELINES AL CT * SINGLE SLICE HELICAL CT		
	<ul> <li>Once the para Screening sca</li> </ul>		een configured, they shall remain consistent throughout the		
	REQUIRED SCAN I: VOLUMETRIC MICT SUPINE INSPIRATORY SCAN REQUIRED SCAN 2: SUPINE ENPIRATION HRCT SCAN REQUIRED SCAN 3: FRONE INSPIRATION HRCT SCAN				
	SCAN 1: VOLUMETRIC MDCT SUPINE INSPIRATORY SCAN				
A Phase L/2 Study Exploring the Safety, Tolerability, and Effic: in Combination with Adva	(Parameters for a 64	detector helical CT) If nece	ssary, please adapt the following parameters for your scanner		
Image Acquisition Guidelin	Subject positioning		novement during acquisition and consistent positioning throughout the well centered in AP and lateral directions.		
HOFFEIT SRY Y TATES IN THE BLACE ACCUMPTON OF SELECTION AND PROPERTIAN STRANSOL DOOMLATICED SCHOOL OF THE SPONSOR NAME PRODUCCE, NAME CONTAINED HEREIN IS CONFEDENTIAL AND PROPERTARY TO PARENE. B DYNEART	Breathing Instructions		nded full inspiration ses between breath holds to avoid motion artifact. Do not use auto irations. Rehearse the breath holds before acquisition		
219171 Image Acquisition Guideline	Scan locations/coverage: Scanning mode	Lung apices to costophreni Helical	c recesses		
Project 219171	Scanning plane	Axial			
Document File Name: 219171 Image Acquisition Guideline Document Ravisia: 1.0 Version Date: 28-Aug-14	Dose modulation	GE_HDGE scanner – Auto Philips_64 scanner – Dose Siemens_64 scanner – Can Toshiba Aquilion 64 – Sur	Right (ACS) OFF Dose OFF		
Author: Ravikansh Mankala/Rudresh Jarech	Detector	64 x 0.625 mm (GE examp 64 x 0.5 mm (Toshiba Acc	le, varies by make and model) (ulion 64 example)		
	Scan and Display FOV	while minimizing air space encompass lungs at the larg	ensure the exterior of the patient is encompassed within the FOV around the patient For reconstructions, adjust the display FOV to test anatomical location and do not change it throughout the scan.		
	Contrast	None 120 kVp			
	kVp	GE HDGE scanner – 100 :	nA		
TP PUM WW.000.08 Effective Date: 02 April Ratentite: SOP-PUM-WW.002	mA	Philips_64 scanner - 100 n Siemens_64 scanner - 100 Toshiba Aquilion 64 - 100	iA effective mA		
Example guidelines	Pitch	GE_HDGE scanner - 0.98 Philips_64 scanner - 0.923 Siemens_64 scanner - 1.0 Toshiba Aquilion 64 - 1.4			
	Rotation time	0.5 s			
documents.	Thickness Interval	1.25 mm 1 mm			
uocuments.	Matrix	512 x 512			
	Motion Artifact	Repeat all scans which con	tain motion artifact		
	Hard Films If Used	6 on 1			
	TP-PLMI-WW-008-03 In Effective Date: 09 Jun 11	nage Acquisition Guideline Ter CONFIDE	aplate NTIAL DOCUMENT Page 7		

The HIRO may provide a customized workflow for ordering imaging exams.
 Be sure to keep the HIRO in the loop and utilize this workflow to ensure your scans will meet your trial's requirements!



- Trials will often require that de-identified copies of imaging exams be submitted to a central reviewer or core lab.
- Increasingly, the use of a trial-specific electronic submission system is required.
- The HIRO is the official UCM team for providing de-identified copies of imaging exams to local teams for research purposes.
  - Usually scans performed here at UCM (including Orland Park, Silver Cross, and Ingalls) but can also include scans from other places (more on that later).
- Requests for image data are submitted to the HIRO by the research team via its website (<u>https://hiro.bsd.uchicago.edu</u>).
  - The HIRO can provide you with the data, or it can often submit the data directly to the trial sponsor/CRO.
  - Note if the *patient* wants copies of their scans, you should contact the Radiology Film Library.



- Some trials may require the completion of data transmittal forms with each exam submitted.
- These forms often vary in complexity.
- The HIRO is generally able to complete imaging transmittal forms and baseline forms and will do so when submitting exams if required.

Dura Transmitta Form     Subcriterian     Subcriterian <th>n 🕲 CI</th> <th>HICAGO  Research Office</th>	n 🕲 CI	HICAGO  Research Office
Subject Number       15       Weekletty:       Initial       Initial       Initial         Versite of the second to be an one-properties of the second to be an one-properties of the second to be an one-properties of the second to the second to be an one-properties of the second to the second to be an one-properties of the second to the second to be an one-properties of the second to the second to be an one-properties of the second to the second	TRANSMITTAL	arman
Exam Date       2016         Time Point [070] work, 45       Unscheduled Visit Description         COMMENT       PET Acquisition Document         SOC FEERING       PET Acquisition Document         SOC FEERING       Pet Acquisition Document       Control 10         SOC FEERING       Pet Acquisition Document       Control 10       Subject ID:       E 3 & 8 & D:       Subject ID:       E 3 & 8 & D:       Subject ID:       Control 10		
SQC Results         Ensure Slice Thickness for CTs is between 1.5 and 5.0 mm : Pass         Ensure no non-OICOM files : Pass         Checking for gaps : Pass         Form Completed By:         Point Completed By:         Poi	Exam Date: 2016	
Do       MON       YEAR       Int       I	SQC RESULTS Ensure Slice Thickness for CTs is between 2.5 and 5.0 mm : Pass Ensure no non-DiCOM files : Pass Ensure no lossy images : Pass Checking for gaps in images : Fall Form Completed By	Country ID:       7       B       Site ID:       2       B       Subject ID:       E       7       B       0       6         Ligand:       AV-1451       EX       FDG       Scan Acquisition Date:       00       Mon       2       0       1       6         Imaging Center Name:       University of Chicago Medicine       PET       Tagging Center       VEAR         Clinical Site Name:       University of Chicago Medicine       PET       Tagging Center         Clinical Site Name:       University of Chicago Medicine       E       Check the appropriate PET scan:       AV-1451 Basine (Scan 1)       AV-1451 Week 52 (Scan 2)         AV-1451 Week 104 (Scan 3)       AV-1451 Early Discontinuation (ED Scan)       Pootetapic Screening (Scan 1)       Flootetapic Bary Discontinuation (ED Scan)         Document for Cor Flootetapic for AV-1451       Yes       No N       Mont Yes Comment for a document for Correl avecant (ED Scan)         Pootetapic Screening (Scan 1)       Flootetapic Week 104 (Scan 2)       Flootetapic Bary Discontinuation (ED Scan)         Pootetapic Tor Online Correl       Yes       No N       Mont Yes Comment for a document for dococument for document for doc document for doc document for doc doc
CONFIDENTIAL MNIID1012		00       YDAR       Intermediated Activity       12       Intermediated Activity       12       Intermediated Activity       Int

THE UNIVERSITY OF

Human Imaging





- The HIRO can pull copies of *most* imaging exams that are listed in the patient's EPIC chart\* (including echocardiography and DXA scans).
- This includes scans performed at outside hospitals as long as a copy of the scan was forwarded to UCM at some point and loaded into our hospital archive (PACS).
  - If you have a copy of an outside scan on disc, you can bring it directly to the HIRO and we can de-identify & submit it to the sponsor as needed. Note you will still need to submit an image data request in our website!
- The HIRO can also assist in resolving imaging-related queries from the sponsor or CRO.
  - It is not unusual for the CRO to send queries directly to the HIRO. The HIRO may reach out to you for assistance when needed!
  - If you receive a query and you're not sure what it means, please reach out to the HIRO!






- Image Data Distribution for Basic Science
  - The HIRO also provides image data to basic science researchers and investigator-initiated projects.
  - The HIRO can provide copies of de-identified imaging exams for retrospective studies, chart reviews, and other types of epidemiologic, analytic, machine learning/AI or quality improvement projects.
  - The HIRO can assist with cohort identification and build databases of imaging exams based on specific criteria. This may be performed in conjunction with the Clinical Research Data Warehouse team.



- Requests for image data must be submitted via the HIRO's website.
- In order to submit requests, you must first create an account in the system.
- You must also register the trial in question with the HIRO (or if it is already registered, you must request access to it).
  - To register a trial on behalf of a PI, you must become a Technical Liaison.
- Quick tutorials for all of these activities are available on the HIRO's website.



THE UNIVERSITY OF

Human Imaging

**Research Office** 



#### **Service Fees**



- The HIRO recovers its costs through a recharge model.
  - ✓ HIRO fees are subject to standard University indirect rates.
  - $\checkmark$  The HIRO's invoicing and collections are handled by the OSRF.
- Most industry clinical trials include the HIRO's fees in the trial budget.
- Investigator-initiated projects can include the HIRO's fees in grant budgets and can utilize local funding programs like ITM Core Subsidy awards.
- The HIRO also receives a subsidy from the **Cancer Center** for qualifying projects.



#### **Road Map**



- What is medical imaging?
- What (and why) is the HIRO?
- What services does the HIRO provide, and how do they support research?
- Wrapping Up



# The Importance of the HIRO



- The HIRO's primary goal is to ensure that the imaging exams performed for, and distributed to, clinical trials and research projects are compliant with the research protocol, IRB requirements, and HIPAA regulations.
- Failure to properly engage the HIRO's services with your trial may lead to:
  - Queries and Deviations Imaging exams that are not performed according to trial guidelines or properly submitted to the trial sponsor will generate numerous trial queries and may even trigger an official protocol deviation or violation.
  - **Repeat Imaging** Imaging exams that are not performed according to trial guidelines may need to be repeated at UCM's expense. This may also increase patient radiation exposure and decrease patient satisfaction.

# The Importance of the HIRO



- Failure to properly engage the HIRO's services with your trial may lead to:
  - **Patient Removal** Imaging exams that are not performed according to trial guidelines or properly submitted to the trial sponsor may force the removal of the patient from the trial. This may have an adverse impact on patient care and satisfaction.
  - FDA Action Numerous or repeated deviations or violations may prompt an audit from both the trial sponsor and the FDA. Such audits may lead to the suspension of patient enrollment and trial activities and could jeopardize participation in future trials.
  - HIPAA Compliance Improperly de-identified data may generate protocol deviations or violations and may even trigger federal HIPAA violations and fines to the institution.





- The HIRO is here to help you! Here are some keys that will help keep your trial's imaging running smoothly:
  - Engage the HIRO with new trials early if your new trial will involve imaging, contact the HIRO as soon as possible. This is especially important if the trial will use a central reviewer or requires imaging site qualification. Forward any imaging materials you receive to the HIRO, and if you don't receive any, ask the sponsor to provide them!







- The HIRO is here to help you! Here are some keys that will help keep your trial's imaging running smoothly:
  - Notify the HIRO of upcoming scans as soon as possible remember to keep the HIRO in the loop when you schedule imaging appointments! If the HIRO asked to be notified when scans are scheduled, be sure to email the HIRO as soon as possible. This will allow the HIRO to provide the imaging technologists with the resources needed to perform the exam properly.

HIRO Email: hirohelp@bsd.uchicago.edu





- The HIRO is here to help you! Here are some keys that will help keep your trial's imaging running smoothly:
  - ✓ Submit image data requests as soon as possible most clinical trials require that we submit exams 3-5 days after they are performed. Failure to do so will usually generate queries. The HIRO cannot submit an exam without the proper data request, so make sure you submit the necessary requests via the HIRO's website!
  - ✓ You can even submit an image data request for a scan scheduled in the future!







- A note about EPIC CareEverywhere:
  - A great way to see if a patient has outside scans! the CareEverywhere feature will display a patient's imaging exam records from outside hospitals, letting us know that they have had scans performed elsewhere.
  - Not a great way to get copies of outside scan images! unfortunately, CareEverywhere only lets us know that an outside scan was performed (and sometimes it will give us a copy of the report). It does *not* share the actual scan images. If images must be submitted to a sponsor, *you will need to request a copy of the scan on disc (or via Ambra) from the outside facility*. Once the disc is available, you can submit an image data request via the HIRO's website and we can use the disc to upload the images to the sponsor.





- The MRI Research Center (Mitchell Q300):
  - ✓ The MRIRC is a core facility that can perform complex MRI scans. If your trial includes MRI scans, the HIRO will review the requirements and determine if their level of complexity requires the MRIRC. The MRI requirements for most trials are relatively routine and do not require the MRIRC. The HIRO will provide you with its assessment during start-up.
  - ✓ If the HIRO assigns your trial's MRI scans to the MRIRC, we will let you know as they have a slightly different start-up and scan scheduling process. *If your trial's MRI scans have been assigned to the MRIRC, they must be performed by the MRIRC.*
  - ✓ If you are not sure if your trial has been assigned to the MRIRC, *please* check with the HIRO. The MRIRC cannot perform scans for trials that have not gone through their start-up process.



#### **More Protips!**



- If you submit an image data request and ask us to expedite it ("stat"), please be available in case there are questions.
- Similarly, please be available for discussion if you submit a large image data request (> 10 scans). Large requests often take longer to process and generate questions.
- If you receive a missing data query for a scan you've already requested, or if you're not sure if a scan has been uploaded, please reach out to the HIRO and ask. Don't submit a (duplicate) request!
- Double-check the subject numbers and time points in your image data requests (don't guess!).
  - Incorrect subject IDs or time points can lead to multiple queries and require lots of time to untangle. Although the HIRO tries to double-check when possible, we don't always have all the required information.



# **Questions?**

- The HIRO is always available to help answer any imaging-related questions you might have! If we can't answer them, we will help find the people who can!
  - Phone: 702-9172
  - ✤ Fax: 834-6721
  - Office: Billings/FMI I-102

Website: <u>https://hiro.bsd.uchicago.edu</u>
Email: <u>hirohelp@bsd.uchicago.edu</u>
Hours: 8AM – 4PM, Monday - Friday



PHILIPS



WE A



